



# SECOND FLOOR PLAN

896 SQ FEET



# LEFT SIDE ELEVATION



- NOTES:
1. DO NOT SCALE FROM PRINT.
  2. CONTRACTOR TO CHECK & VERIFY DRAWINGS, & TO REPORT ANY DISCREPANCIES TO OWNER BEFORE PROCEEDING WITH ANY WORK.
  3. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST METHODS OF CONSTRUCTION.
  4. CONCRETE MATERIALS AND METHODS OF CONSTRUCTION TO MEET LATEST EDITION OF THE C.S.A. STANDARD A23.1 & A23.2.
  5. FOOTINGS TO REST ON UNDISTURBED SOIL HAVING AN ALLOWABLE BEARING CAPACITY OF 200 KPA.
  6. FOUNDATION DESIGN TO BE CHECKED FOR DESIGN STRENGTH BEFORE COMMENCING BACKFILLING OPERATIONS.
  7. METHODS OF CONSTRUCTION TO MEET LATEST STANDARD OF THE NATIONAL BUILDING CODE OF CANADA, DING CODE.
  8. THE DESIGNER HAS REVIEWED THE DRAWINGS AND CHECKED THE DESIGNERS HOLD ABSOLUTE AND RESPONSIBILITY OR LIABILITY OF ANY KIND.

OWNER:	CHIDEY RESIDENCE
SHEET TITLE:	SECOND FLOOR PLAN LEFT SIDE ELEVATION
SCALE:	AS NOTED
DATE:	DEC. 2016
DRAWN:	SHEET 3 OF 6
CHECKED:	JOB NO.
APPROVED:	PROJECT NO.

