


**Line:** 1      **Location:** Dining  
**Quantity:** 2      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Viewed From Exterior

Size: RO 32" x 54" Net Frame 31 1/2" X 53 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 29 5/16" x H 23 1/8" Sq. Ft. 4.71  
Other Ratings: CPD: MIL-A-157-04139-00001

**Item Total:**  
**Item Qty Total:**

**Customer Approval:** \_\_\_\_\_

**Line:** 2      **Location:** Stairs  
**Quantity:** 1      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) Tempered over 1/8" SunCoat (Low-E) Tempered  
CenterLite: 1/8" Clear Tempered  
Triple Glazed




Viewed From Exterior

Size: RO 32" x 54" Net Frame 31 1/2" X 53 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) Tempered over 1/8"  
SunCoat (Low-E) Tempered CenterLite: 1/8" Clear  
Tempered  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 29 5/16" x H 23 1/8" Sq. Ft. 4.71  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_

**Line:** 3      **Location:** Bed 2  
**Quantity:** 2      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Viewed From Exterior

Size: RO 36" x 60" Net Frame 35 1/2" X 59 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 33 5/16" x H 26 1/8" Sq. Ft. 6.04  
Egress: Yes  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_

**Line:** 4      **Location:** Landing  
**Quantity:** 1      Ultra, 3310U, PW, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .28, SHGC: .26, VT: .45  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Size: RO 24" x 24" Net Frame 23 1/2" X 23 1/2"  
Model: Picture  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Ratings: STC: No Rating, OITC: No Rating, Tested: CW50  
Other Ratings: CPD: MIL-A-150-04060-00001

Viewed From Exterior

Customer Approval: \_\_\_\_\_

**Line:** 5      **Location:** Up Landing  
**Quantity:** 1      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Size: RO 36" x 60" Net Frame 35 1/2" X 59 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 33 5/16" x H 26 1/8" Sq. Ft. 6.04  
Egress: Yes  
Other Ratings: CPD: MIL-A-157-04139-00001

Viewed From Exterior

Customer Approval: \_\_\_\_\_

**Line:** 6      **Location:** Loft & Master Closet  
**Quantity:** 3      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Viewed From Exterior

Size: RO 28" x 36" Net Frame 27 1/2" X 35 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 25 5/16" x H 14 1/8" Sq. Ft. 2.48  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_

**Line:** 7      **Location:** Bed 2  
**Quantity:** 2      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Viewed From Exterior

Size: RO 36" x 60" Net Frame 35 1/2" X 59 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 33 5/16" x H 26 1/8" Sq. Ft. 6.04  
Egress: Yes  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_

**Line:** 8      **Location:** Basment  
**Quantity:** 1      Ultra, 3110U, HV, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed





Size: RO 48" x 48" Net Frame 47 1/2" X 47 1/2"  
Model: Half Vent  
Handing: Half Vent XO  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 20 1/8" x H 45 5/16" Sq. Ft. 6.33  
Egress: Yes  
Other Ratings: CPD: MIL-A-158-05193-00001

Viewed From Exterior

Customer Approval: \_\_\_\_\_


**Line:** 9      **Location:** Laundry  
**Quantity:** 1      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Size: RO 24" x 36" Net Frame 23 1/2" X 35 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 21 5/16" x H 14 1/8" Sq. Ft. 2.09  
Other Ratings: CPD: MIL-A-157-04139-00001

Viewed From Exterior

Customer Approval: \_\_\_\_\_




**Line:** 10      **Location:** Great Rm  
**Quantity:** 4      Ultra, 3310U, PW, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .28, SHGC: .26, VT: .45  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed



Viewed From Exterior

Size: RO 36" x 76" Net Frame 35 1/2" X 75 1/2"  
Model: Picture  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Ratings: STC: No Rating, OITC: No Rating, No Ratings  
Other Ratings: CPD: MIL-A-150-04060-00001




Customer Approval: \_\_\_\_\_

**Line:** 11      **Location:** master Tub  
**Quantity:** 4      Ultra, 3310U, PW, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .28, SHGC: .26, VT: .45  
1/8" SunCoat (Low-E) Tempered over 1/8" SunCoat (Low-E) Tempered  
CenterLite: 1/8" Clear Tempered  
Triple Glazed




Viewed From Exterior


Size: RO 36" x 18" Net Frame 35 1/2" X 17 1/2"  
Model: Picture  
Glass: 1/8" SunCoat (Low-E) Tempered over 1/8"  
SunCoat (Low-E) Tempered CenterLite: 1/8" Clear  
Tempered  
Other Glass: Gray Foam Spacer with BreatherTube  
Ratings: STC: No Rating, OITC: No Rating, Tested: CW50  
Other Ratings: CPD: MIL-A-150-04060-00001



Customer Approval: \_\_\_\_\_



**Line:** 12      **Location:** master  
**Quantity:** 1      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed




Viewed From Exterior

Size: RO 48" x 56" Net Frame 47 1/2" X 55 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer with BreatherTube  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 45 5/16" x H 24 1/8" Sq. Ft. 7.59  
Egress: Yes  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_

**Line:** 13      **Location:** Bed 3 - 4  
**Quantity:** 2      Ultra, 3210U, SH, 1 3/8" Setback, Ext Sand/Int White  
U-Factor: .30, SHGC: .25, VT: .43  
1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E) CenterLite: 1/8" Clear  
Triple Glazed



Viewed From Exterior

Size: RO 36" x 60" Net Frame 35 1/2" X 59 1/2"  
Dimensions: Sash Height One Half  
Model: Single Hung  
Glass: 1/8" SunCoat (Low-E) over 1/8" SunCoat (Low-E)  
CenterLite: 1/8" Clear  
Other Glass: Gray Foam Spacer  
Hardware: White Hardware, Positive Action Lock  
Screen: Standard with Fiberglass Mesh  
Ratings: STC: No Rating, OITC: No Rating, Tested: LC30  
Clear Opening: W 33 5/16" x H 26 1/8" Sq. Ft. 6.04  
Egress: Yes  
Other Ratings: CPD: MIL-A-157-04139-00001

Customer Approval: \_\_\_\_\_