

SEZ-KD12NA
SUZ-KA12NAHZ
2) HEATING

Rated
 Q(Btu/h): 15,000
 W: 1,120

Indoor D.B.			77°F / 25.0°C						68°F / 20.0°C						59°F / 15.0°C					
Outdoor W.B.			Max	Rated	75%	50%	25%	Min	Max	Rated	75%	50%	25%	Min	Max	Rated	75%	50%	25%	Min
(°F)	(°C)																			
65	18.3	Q(Btu/h)	21,780	18,150	13,613	-	-	9,317	22,500	18,750	14,063	-	-	9,625	23,220	19,350	14,513	-	-	9,933
		W	1,782	1,272	954	-	-	613	1,745	1,245	934	-	-	600	1,707	1,218	913	-	-	587
60	15.6	Q(Btu/h)	20,880	17,400	13,050	-	-	8,932	21,600	18,000	13,500	-	-	9,240	22,320	18,600	13,950	-	-	9,548
		W	1,751	1,249	937	-	-	602	1,713	1,222	917	-	-	589	1,676	1,195	897	-	-	576
55	12.8	Q(Btu/h)	19,980	16,650	12,488	-	-	8,547	20,700	17,250	12,938	-	-	8,855	21,420	17,850	13,388	-	-	9,163
		W	1,715	1,223	917	-	-	590	1,677	1,196	897	-	-	577	1,639	1,170	877	-	-	564
50	10.0	Q(Btu/h)	19,080	15,900	11,925	-	-	8,162	19,710	16,425	12,319	-	-	8,432	20,430	17,025	12,769	-	-	8,740
		W	1,674	1,194	895	-	-	576	1,636	1,167	875	-	-	563	1,598	1,140	855	-	-	550
45	7.2	Q(Btu/h)	18,450	15,375	11,531	-	-	7,893	19,080	15,900	11,925	-	-	8,162	19,800	16,500	12,375	-	-	8,470
		W	1,647	1,175	881	-	-	566	1,609	1,148	861	-	-	553	1,571	1,121	841	-	-	540
40	4.4	Q(Btu/h)	17,460	14,550	10,913	-	-	7,469	18,090	15,075	11,306	-	-	7,739	18,810	15,675	11,756	-	-	8,047
		W	1,598	1,140	855	-	-	550	1,560	1,113	835	-	-	537	1,523	1,086	815	-	-	524
35	1.7	Q(Btu/h)	16,020	13,350	10,013	-	-	6,853	16,470	13,725	10,294	-	-	7,046	17,190	14,325	10,744	-	-	7,354
		W	1,521	1,085	814	-	-	523	1,484	1,059	794	-	-	510	1,446	1,032	774	-	-	497
30	-1.1	Q(Btu/h)	15,300	12,750	9,563	-	-	6,545	15,750	13,125	9,844	-	-	6,738	16,470	13,725	10,294	-	-	7,046
		W	1,613	1,151	863	-	-	555	1,575	1,124	843	-	-	542	1,538	1,097	823	-	-	529
25	-3.9	Q(Btu/h)	14,040	11,700	8,775	-	-	6,006	14,490	12,075	9,056	-	-	6,199	15,120	12,600	9,450	-	-	6,468
		W	1,518	1,083	812	-	-	522	1,480	1,056	792	-	-	509	1,442	1,029	772	-	-	496
20	-6.7	Q(Btu/h)	14,040	10,650	7,988	-	-	5,467	14,490	11,025	8,269	-	-	5,660	15,120	11,550	8,663	-	-	5,929
		W	1,416	1,010	758	-	-	487	1,379	984	738	-	-	474	1,341	957	718	-	-	461
15	-9.4	Q(Btu/h)	14,040	9,450	7,088	-	-	4,851	14,490	9,825	7,369	-	-	5,044	15,120	10,350	7,763	-	-	5,313
		W	1,309	934	700	-	-	450	1,271	907	680	-	-	437	1,234	880	660	-	-	424
10	-12.2	Q(Btu/h)	14,040	8,100	6,075	-	-	4,158	14,490	8,475	6,356	-	-	4,351	15,120	9,150	6,863	-	-	4,697
		W	1,196	853	640	-	-	411	1,158	826	620	-	-	398	1,121	799	600	-	-	385
5	-15.0	Q(Btu/h)	14,040	6,150	4,613	-	-	3,157	14,490	6,450	4,838	-	-	3,311	15,120	7,200	5,400	-	-	3,696
		W	1,027	733	550	-	-	353	990	706	529	-	-	340	952	679	509	-	-	327
0	-17.8	Q(Btu/h)	11,817	4,735	3,552	-	-	2,431	12,196	5,075	3,806	-	-	2,605	12,726	5,848	4,386	-	-	3,002
		W	899	642	481	-	-	309	862	615	461	-	-	296	824	588	441	-	-	284
-4	-20.0	Q(Btu/h)	10,039	3,512	2,634	-	-	1,803	10,360	3,859	2,894	-	-	1,981	10,811	4,688	3,516	-	-	2,407
		W	793	566	424	-	-	273	755	539	404	-	-	260	718	512	384	-	-	247
-13	-25.0	Q(Btu/h)	6,037	581	436	-	-	298	6,231	956	717	-	-	491	6,502	1,934	1,451	-	-	993
		W	540	385	289	-	-	186	502	358	269	-	-	173	464	331	249	-	-	160

* Above data is for heating operation without any frost.